

PROLUNGHE ANTIVIBRANTI FILETTATE IN METALLO DURO



SCRS - Prolunghe Antivibranti Filettate Scaricate

Model	D	D1	L	L1	M	N.W.
SCRS10M6-100	10	9,5	100	30	6	0,10
SCRS10M6-150			150	50		0,14
SCRS12M6-150	12	11,5	150	50	6	0,20
SCRS16M8-120	16	15,6	120	85	8	0,28
SCRS16M8-150A		15,5	150	50		0,36
SCRS16M8-150B		15,6	150	95		0,34
SCRS16M8-200A		15,5	200	50		0,50
SCRS16M8-200B		15,6	200	145		0,47
SCRS16M8-250		15,5	250	70		0,56
SCRS20M10-100		20	19,6	100		40
SCRS20M10-150	150			90	0,57	
SCRS20M10-200	200			140	0,75	
SCRS24M12-100	24	23,5	100	40	12	0,50
SCRS24M12-150			150	70		0,84
SCRS24M12-200			200	100		1,04
SCRS24M12-250			250	150		1,29
SCRS24M12-300			300	200		1,55
SCRS25M12-100	25	24,6	100	40	12	0,59
SCRS25M12-150			150	85		0,89
SCRS25M12-200			200	135		1,16
SCRS32M16-200	32	31	200	70	16	1,88
SCRS32M16-300			300	130		2,85
SCRS32M16-350			350	150		3,38



SCRC - Prolunghe Antivibranti Filettate Cilindriche

Model	D(mm)	L(mm)	D1(mm)	M	N.W.
SCRC8M4-100	8	100	8	4	0,07
*SCRC10M5-75/80	10	75/80	10	5	0,70
SCRC10M5-100		100			0,10
SCRC10M5-150		150			0,15
SCRC10M6-80	10	80	10	6	0,08
SCRC10M6-100		100			0,10
SCRC10M6-150		150			0,15
SCRC11M6-100	11	100	11	6	0,13
SCRC11M6-150		150			0,19
SCRC11M6-200		200			0,25
**SCRC12M6-75	12	75	12	6	0,11
SCRC12M6-100		100			0,15
SCRC12M6-150		150			0,22
SCRC12M6-200		200			0,30
SCRC14M8-100	14	100	14	8	0,18
SCRC14M8-150		150			0,29
SCRC14M8-200		200			0,39
SCRC15M8-100	15	100	15	8	0,22
SCRC15M8-150		150			0,33
SCRC15M8-200		200			0,44
SCRC15M8-250		250			0,56
SCRC16M8-100	16	100	16	8	0,25
SCRC16M8-150		150			0,38
SCRC16M8-200		200			0,50
SCRC16M8-250		250			0,64
SCRC16M8-300		300			0,73
SCRC19M10-100	19	100	19	10	0,52
SCRC19M10-150		150			0,70
SCRC19M10-200		200			0,88
SCRC19M10-250		250			1,06
SCRC19M10-300		300			1,27

* SCRC10M5-75, fino ad esaurimento scorte. Poi sostituita da SCRC10M5-80

**SCRC12M6-75, fino ad esaurimento scorte


SCRC20M10-100	20	100	20	10	0,39
SCRC20M10-150		150			0,58
SCRC20M10-200		200			0,78
SCRC20M10-250		250			1,00
SCRC20M10-300		300			1,20
SCRC24M12-150	24	150	24	12	0,91
SCRC24M12-200		200			1,10
SCRC24M12-250		250			1,43
SCRC24M12-300		300			1,60
SCRC25M12-150	25	150	25	12	0,91
SCRC25M12-200		200			1,22
SCRC25M12-250		250			1,52
SCRC25M12-300		300			1,65
SCRC32M16-150	32	150	32	16	1,52
SCRC32M16-200		200			1,94
SCRC32M16-250		250			2,44
SCRC32M16-300		300			3,05
SCRC32M16-350		350			3,46
SCRC32M16-400		400			4,04
SCRC40M16-300	40	300	40	16	S.R.
SCRC40M16-350		350			S.R.
SCRC40M16-400		400			S.R.
SCRC40M20-300	40	300	40	20	S.R.
SCRC40M20-350		350			S.R.
SCRC40M20-400		400			S.R.
SCRC42M16-200	42	200	42	16	S.R.
SCRC42M16-250		250			S.R.
SCRC42M16-300		300			S.R.
SCRC42M16-350		350			S.R.
SCRC42M16-400		400			S.R.
SCRC42M16-450		450			S.R.
SCRC42M16-500		500			S.R.
SCRC42M20-200	42	200	42	20	S.R.
SCRC42M20-250		250			S.R.
SCRC42M20-300		300			S.R.
SCRC42M20-350		350			S.R.
SCRC42M20-400		400			S.R.
SCRC42M20-450		450			S.R.
SCRC42M20-500		500			S.R.

N.B. SCRC40.. e SCRC42.. Solo su ordinazione.



SCRK - Prolunghe Antivibranti Filettate Coniche

Model	D	D1	L	L1	M	N.W.
SCRK12M6-100	12	9,5	100	35	6	0,14
SCRK12M6-150			150	70		0,20
SCRK16M8-120	16	11,5	120	60	8	0,26
SCRK16M8-150			150	70		0,33
SCRK16M8-200			200	150		0,49
SCRK20M10-100A	20	14,5	100	40	10	0,35
SCRK20M10-100B		18,5				0,38
SCRK20M10-150A		14,5	150	77		0,51
SCRK20M10-150B		18,5		90		0,57
SCRK20M10-200		200	140	0,75		
SCRK25M12-100	25	18,5	100	40	12	0,56
SCRK25M12-150			150	70		0,85
SCRK25M12-200			200	140		0,94
SCRK32M16-200	32	23,5	200	120	16	1,60
SCRK32M16-250		29	250	170		2,36
SCRK32M16-300		300	200	2,76		



4SR - Pinze a Forte Serraggio

Model	ØD	ØD1	ØD2	L	L1	H
4SR20.11	11	20	25	54	45	4
4SR20.15	15					
4SR32.11	11	32	36	63	40	3
4SR32.14	14				45	
4SR32.15	15				48	
4SR32.18	18				50	
4SR32.19	19					
4SR32.22	22					
4SR32.24	24				56	